

# Material Safety Data Sheet Isobutyraldehyde

#### **SECTION 1.1 – PRODUCT IDENTIFICATION**

**Product Name** : Isobutyraldehyde

Molecular Formula : C<sub>4</sub>H<sub>8</sub>O

Molecular Weight : 72.11 g/mole CAS No. : 78-84-2

# **SECTION: 1.2 – COMPANY IDENTIFICATION**

Company Name: Indenta Chemicals (India) Pvt. Ltd.

Address: 117, The Summit Business Bay, Opp Cinemax, Off. Sir M.V. Road, Near WEH Metro Station, Andheri (E),

Mumbai 400 093, India

Telephone #:+91-22-26849600

Fax #:+91-22-26849060

# **SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS**

Name	CAS#	% by Weight
Isobutyraldehyde	78-84-2	100

#### **SECTION 3: HAZARD IDENTIFICATION**

# 3.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225 Eye irritation (Category 2), H319

#### 3.2 Label elements

Labelling according Regulation (EC) No 1272/2008



# **Pictogram**

Signal word Danger

# Hazard statement(s)

H225 Highly flammable liquid and vapor.H319 Causes serious eye irritation.

# Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

# Indenta Chemicals (India) Pvt. Ltd.

Office: 117 The Summit Business Bay, Near WEH Metro Station, Opp. Cinemax Theatre, Off. Andheri Kurla Road, Andheri (E), Mumbai 400 093. Phone: +91-22-2684 9600 | Fax: +91-22-2684 9660 | Email: indenta@indenta.com | Website: www.indenta.com





Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard

Statements none

#### 3.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Stench.

#### **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of first-aid measures

#### **General advice**

Consult a physician. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 3.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: FIRE AND EXPLOSION DATA**

### 5.1 Extinguishing media

#### Suitable extinguishing media

Dry powder Dry sand

# Unsuitable extinguishing media

Do NOT use water jet.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

# **5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low

MSDS- Isobutyraldehyde Page 2 of 8

#### areas.

For personal protection see section 8.

#### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 3.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

Recommended storage temperature 2 - 8 °C

Stench. Air sensitive. Store under inert gas.

# **SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION**

#### 8.1 Control parameters

# Ingredients with workplace control parameters

# 8.2 Exposure controls

# **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

#### Splash contact

Material: butyl-rubber

Minimum layer thickness: 0,3 mm Break through time: 30 min Material tested:Butoject®

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

MSDS- Isobutyraldehyde Page 3 of 8

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1 Information on	basic physica	I and chemical	properties
--------------------	---------------	----------------	------------

a) Appearance Form: clear, liquid

b) Odor unpleasant
c) Odor Threshold No data available
d) pH No data available

e) Melting point/range: -65 °C - lit.

point/freezing point f) Initial boiling point

and boiling range 63 °C - lit.

g) Flash point -24 °C - closed cup - DIN 51755 Part 1

h) Evaporation ratei) Flammability (solid,gas)No data available

j) Upper/lower Upper explosion limit: 11,0 %(V) flammability or Lower explosion limit: 1.6 %(V)

explosive limits

I) Vapor density

m) Relative density

k) Vapor pressure 88 hPa at 4,4 °C

189 hPa at 20 °C 640 hPa at 50 °C 2,49 - (Air = 1.0) 0.79 g/cm3 at 25 °C

n) Water solubility 60 g/l at 25 °C - OECD Test Guideline 105

o) Partition coefficient:

**n-octanol/water** log Pow: 0.77 at 25 °C - Bioaccumulation is not expected.

p) Autoignition 180 °C

temperature at 1.013,25 hPa - ASTM E-659

q) Decomposition

temperature

r) Viscosity

s) Explosive properties

t) Oxidizing properties

No data available
No data available
No data available

9.2 Other safety information

**Relative vapor** 

**Density** 2.49 - (Air = 1.0)

# **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1 Reactivity

No data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat, flames and sparks.

#### 10.5 Incompatible materials

Oxidizing agents, Strong acids, Strong bases, Strong reducing agents

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - female - 3.730 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male - 4 h - > 23,6 mg/l

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - male - 5.583 mg/kg

Remarks: (ECHA)

#### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

After long-term exposure to the chemical: Dermatitis

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye irritation. - 24 h

(OECD Test Guideline 405)

# Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

# Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

MSDS- Isobutyraldehyde

identified as probable, possible or confirmed human carcinogen by IARC.

#### Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

Acute oral toxicity - Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis.

Acute inhalation toxicity - Inhalation may lead to the formation of oedemas in the respiratory tract., Symptoms may be delayed.

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: NQ4025000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Further hazardous properties cannot be excluded but unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

#### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

Toxicity to fish static test LC50 - Pimephales promelas (fathead minnow) - 23 mg/l

- 96 h

Remarks: (ECHA)

Toxicity to daphnia static test EC50 - Daphnia magna (Water flea) - 277 mg/l - 48 h

and other aquatic (Regulation (EC) No. 440/2008, Annex, C.2)

invertebrates Remarks: (above the solubility limit in the test medium)

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - 83,7

mg/l - 72 h (DIN 38412)

Remarks: (above the solubility limit in the test medium)

Toxicity to bacteria static test NOEC - activated sludge - 100 mg/l - 14 Days

Remarks: (ECHA)

# 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 14 d

Result: 80 - 90 % - Readily biodegradable.

(OECD Test Guideline 301C)

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Harmful to aquatic life.

MSDS- Isobutyraldehyde Page 6 of 8

#### **SECTION 13: DISPOSAL CONSIDERATION**

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

# **Contaminated packaging**

Dispose of as unused product.

# **SECTION 14: TRANSPORT INFORMATION**

14.1 UN number

ADR/RID: 2045 IMDG: 2045 IATA: 2045

**14.2 UN proper shipping name** ADR/RID: ISOBUTYL ALDEHYDE IMDG: ISOBUTYL ALDEHYDE IATA: Isobutyl aldehyde

14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

# **SECTION 15: OTHER REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

REACH - Restrictions on the manufacture,

placing on the market and use of certain

dangerous substances, preparations and articles

(Annex XVII)

REACH - Restrictions on the manufacture,

placing on the market and use of certain

dangerous substances.

### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

MSDS- Isobutyraldehyde Page 7 of 8

This information is provided for documentation purposes only.

The information contained in this Certificate of Analysis and Material Safety Data Sheet is obtained from current and reliable sources. The information contained herein is true and to the best of Indenta Chemicals (India) Pvt. Ltd. knowledge. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any Laws or Regulation. Final determination of the suitability of the material is the sole responsibility of the user. Customers should purchase products from Indenta Chemicals (India) Pvt. Ltd. with the clear understanding that all products must be used at the customer's own discretion and only after referencing Material Safety Data Sheets (MSDS) and all other relevant technical information specific to the product. Indenta Chemicals (India) Pvt. Ltd. shall not be held responsible for any damages to property or for any adverse physical effects (including injury or bodily harm) caused by insufficient knowledge or the improper use of a product. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties. As with any manufacturing process, Indenta Chemicals (India) Pvt. Ltd. strongly recommends small lab scale testing for evaluation purposes prior to full commercial manufacturing. The information on the Indenta Chemicals (India) Pvt. Ltd. website is obtained from current and reliable sources but makes no representation as to its comprehensiveness or accuracy. Nothing contained herein should be considered as a recommendation by Indenta Chemicals (India) Pvt. Ltd. as to the fitness for any use. As the ordinary or otherwise use(s) of this product is outside the control of Indenta Chemicals (India) Pvt. Ltd., no representation or warranty, expressed or implied is made as to the effect(s) of such use(s) (including damage or injury), or the results obtained. The liability of Indenta Chemicals (India) Pvt. Ltd. is limited to the value of the goods and does not include any consequential loss. Indenta Chemicals (India) Pvt. Ltd. shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon.



MSDS- Isobutyraldehyde